


**SWATCHBOOK:** GamColor  
**COLOR FILTER:** 135 Soft Pink  
**DESCRIPTION:** Color Effects Lighting Filter.  
**TRANSMISSION =** Y 40% or stop loss  
**MIRE D SHIFT =** Not Applicable.  
**CC EQUIVALENT =** Not Applicable.

**COLORIMETRIC DATA**

**OBSERVER:** CIE 1964 10°  
**SOURCE:** • 'A' (tungsten)  
 ° 'D65' (daylight)  
**R:** 204.2  
**G:** 145.4  
**B:** 176




HUNTER LAB SOURCE A	
L*	69.232
A*	22.233
B*	-2.589

HUNTER LAB SOURCE D65	
L*	66.97514
A*	23.77688
B*	-7.519033

CIE 1964 10° SOURCE A	
Y	39.667
(x)	0.492
(y)	0.371

CIE 1964 10° SOURCE D65	
Y	36.599
(x)	0.338
(y)	0.294



nm.	360	380	400	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700	720	740
trans %	NA	58	61	51	43	42	41	34	25	29	26	43	54	54	52	64	78	82	83	83

**MATERIAL SPECIFICATIONS:**

General Description: Deep-Dyed Polyester  
 Substrate: Polyester  
 Thickness: 2.0 mil (.002" or 50 micron)

Manufactured in: U.S.A.

**AVAILABLE SIZES:**

- √ 20 in. x 24 in. sheets (50cm x 60cm)
- 21 in. x 24 in. sheets (53 x 60cm)
- 24 in. x 25 ft. rolls (60cm x 7.62m)
- √ 24 in. x 50 ft. (60cm x 15.24m)
- √ 24 in. x 198 in. (60cm x 5m)
- √ 48 in. x 25 ft. rolls (121cm x 7.62m)
- 60 in. x 20 ft. rolls (152.4cm x 6.10m)
- Consult Rosco