


**SWATCHBOOK:** GamColor  
**COLOR FILTER:** 305 French Rose  
**DESCRIPTION:** Color Effects Lighting Filter.  
**TRANSMISSION =** Y 67% or stop loss  
**MIRE D SHIFT =** Not Applicable.  
**CC EQUIVALENT =** Not Applicable.

**COLORIMETRIC DATA**

**OBSERVER:** CIE 1964 10°  
**SOURCE:** • 'A' (tungsten)  
 ◦ 'D65' (daylight)  
**R:** 255  
**G:** 191.3  
**B:** 184.9




HUNTER LAB SOURCE A	
L*	85.610
A*	21.256
B*	17.496

HUNTER LAB SOURCE D65	
L*	82.25964
A*	23.34263
B*	9.786827

CIE 1964 10° SOURCE A	
Y	67.210
(x)	0.505
(y)	0.394

CIE 1964 10° SOURCE D65	
Y	60.779
(x)	0.370
(y)	0.332



nm.	360	380	400	420	440	460	480	500	520	540	560	580	600	620	640	660	680	700	720	740
trans %	NA	74	73	66	56	45	39	41	40	57	58	76	85	87	87	87	87	87	88	88

**MATERIAL SPECIFICATIONS:**

General Description: Deep-Dyed Polyester  
 Substrate: Polyester  
 Thickness: 2.0 mil (.002" or 50 micron)

Manufactured in: U.S.A.

**AVAILABLE SIZES:**

- √ 20 in. x 24 in. sheets (50cm x 60cm)
  - √ 21 in. x 24 in. sheets (53 x 60cm)
  - √ 24 in. x 25 ft. rolls (60cm x 7.62m)
  - √ 24 in. x 50 ft. (60cm x 15.24m)
  - √ 24 in. x 198 in. (60cm x 5m)
  - √ 48 in. x 25 ft. rolls (121cm x 7.62m)
  - √ 60 in. x 20 ft. rolls (152.4cm x 6.10m)
- Consult Rosco