

Stage & Studio Lamps


CP43

Product information


- 2000W
- Straight Sided Bulb for ease of installation in Fixtures

Dimensions

Capped lamp (CP43 230V FTM, 240V FTL)



Dimensions	Nom.	Max.	Min.
A (MOL)	-	145	-
B (LCL)	70	71	69
C (OD)	26	26.5	27



Lamp data

Wattage [W]	2000	2000
Volts [V]	230	240
Cap	GY16	GY16
Product Description	CP43 FTM	CP43 FTL
Product Code	96735	88533
LIF Code	CP43	CP43
ANSI Code	FTM	FTL
Lumen [lm]	54000	54000
CCT [K]	3200	3200
Operating position	BDTH	BDTH
Life [h]	400	400
Length [mm]	145	145
Pack Qty	12	12

Compliance

Standards

- IEC 60061-1: Lamp Caps and holders together with gauges for the control of interchangeability and safety – Part 1: lamp caps.
- IEC 60357: Tungsten halogen lamps (non-vehicle) – Performance specifications
- IEC 60432-3: Incandescent lamps – Safety specifications – Part 3: Tungsten-halogen lamps (non-vehicle)
- CIE S 009/E:2002: Photobiological Safety of Lamps and Lamp Systems

Directives

- CE mark: Directive 73/23/EEC, 2004/108/EC and 93/68/EEC
- RoHS: Directive 2002/95/EC on Restrictions of the use of certain Hazardous Substances (RoHS)
- REACH: Directive 2006/1907/EC on Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- EuP household: Directive 2009/244/EC, 2005/32/EC on ecodesign requirements (of Energy-using Products) for non-directional household lamps



GE imagination at work