



286 kWh/1000h	E energy class	12 lumens/watt
-------------------------	--------------------------	--------------------------

PAR 56

300PAR56/MFL 240V

93076244

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	93076244
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	623
Gross weight per piece [g]	692
Brand	GE Lighting
Cap/Base	GX16d

Performance data

Nominal/ Rated Beam Angle [°]	21
Weighted energy consumption [kWh/1000h]	285.58
Energy efficiency class (EEC)	E
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2750
Nominal lumens [lm]	3450

Electrical data

Coil type	CC-13
Ballast Required	No
Nominal power [W]	300
Nominal lamp voltage [V]	245

Logistic data

DUN Code	10064894582117
EAN Code	0064894582110
Pack Quantity	12
Layer quantity	64 EUR, 88 UK
Layer quantity EUR	64
Layer quantity UK	88
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.

