
TUNGSRAM

European Producer Lighting Solutions

Innovation is our heritage EST.1896











PAR 56 300PAR56/NSP 240V 93076266

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- · Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- · Colour consistent throughout life
- · Colour blends with halogen and fluorescent

Application areas



Club and Disco







Product data

Product Code	93076266
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	625
Gross weight per piece [g]	694
Brand	GE Lighting
Cap/Base	GX16d

Performance data

Nominal/ Rated Beam Angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	40000
Weighted energy consumption [kWh/1000h]	285.58
Energy efficiency class (EEC)	Е
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]]	2750
Nominal lumens [lm]	3450

Electrical data

CC-13
No
300
245



Logistic data

DUN Code	10064894582100
EAN Code	0064894582103
Pack Quantity	12
Layer quantity	96 EUR, 132 UK
Layer quantity EUR	96
Layer quantity UK	132
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	153 x 153 x 139 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (PDF)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.