











Discharge - Single Ended Hot Restrike CSR 400SE/HR/UV-C

21853

# **Product information**

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance -Available with UV blocking.

### **Application areas**



Film and Broadcast









## **Product data**

| GZZ9.5                |
|-----------------------|
| Tubular               |
| Clear                 |
| 14                    |
| 110                   |
| 60                    |
| 6                     |
| 115                   |
| 130                   |
| U - Universal         |
| General Electric (GE) |
|                       |

### Performance data

| Colour Code                                     | 860   |
|---|-------|
| Colour Rendering Index (CRI) [Ra]               | 85    |
| Nominal correlated colour temperature (CCT) [K] | 6000  |
| Nominal lumens [lm]                             | 32000 |
| Energy efficiency class (EEC)                   | A     |
| Nominal chromaticity coordinate X               | 0.323 |
| Nominal chromaticity coordinate Y               | 0.32  |
| Weighted energy consumption [kWh/1000h]         | 440   |

## **Electrical data**

| Nominal power [W]        | 400 |
|--------------------------|-----|
| Nominal lamp voltage [V] | 70  |
| Lamp Current [A]         | 5.7 |
| Dimming Capability       | No  |
| Ballast Required         | Yes |



# Discharge - Single Ended Hot Restrike CSR 400SE/HR/UV-C

21853

### Logistic data

| DUN Code                 | 20043168218539       |
|--------------------------|----------------------|
| EAN Code                 | 0043168218535        |
| Pack Quantity            | 10                   |
| Inner pack type          | BOX                  |
| Outer pack type          | OUTER BOX            |
| Layer quantity           | 260 EUR, 330 UK      |
| Layer quantity EUR       | 260                  |
| Layer quantity UK        | 330                  |
| Pallet quantity EUR (PC) | 1040                 |
| Pallet quantity UK (PC)  | 1320                 |
| Outer case size          | 208 x 166 x 230 (mm) |
| Product status           | Available            |

#### **Downloads & Links**

Go to the catalog site (HTTP)

**Entertainment Solution Spectrum Catalogue (PDF)** 

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination