

Universe	Tactical
Type	Verticality
Category	Harnesses
Subcategory	Versatile harnesses



## AVAO® FAST European Version

The AVAO FAST harness is designed specifically for positioning and rope descent. Contoured foam on the semi-rigid waistbelt and leg loops provide comfort during use. The waistbelt features metal side attachment points, equipment loops, and tool holder slots, allowing the user to organize all the necessary equipment for tactical operations. Adjustment is quick, easy, and convenient, with self-locking DOUBLEBACK buckles and FAST opening buckles.

---

Short Description      Comfortable fall-arrest harness for fall arrest, positioning, and suspension

---

Selling Points

- Comfortable construction:
  - Widely spaced shoulder straps reduce neck chafing
  - Thin, sliding straps provide more freedom and ease of movement
  - All contact zones, including the shoulder straps, waistbelt and leg loops, use contoured foam and are lined with breathable material, making it more comfortable to move around
  - Semi-rigid waistbelt and leg loops provide optimal harness fit and support
  - Metal side attachment points can be folded down to prevent them snagging accidentally when not in use
  - Elastic leg loop bands (replaceable and available as an accessory) allow the harness to maintain the right adjustment whether the user is walking or suspended
- Convenient and quick to adjust:
  - Self-locking DOUBLEBACK buckles on the shoulder straps and waistbelt, and FAST opening buckles on the leg loops make adjustments quick, easy, and convenient
  - Anti-slip devices installed on the DOUBLEBACK buckles help maintain the right adjustment during tactical operations
- Easy to carry and organize equipment:
  - Ventral connection point features a textile loop that allows the user to install a lanyard with a RING OPEN attachment ring
  - Two side metal attachment points for connecting a positioning lanyard in double mode
  - Five pre-shaped equipment loops with protective sheath
  - Two slots for CARITOOL tool holders or the INTERFAST connection system

---

Specification

- Ventral attachment point: Attachment for a descender, a positioning lanyard for use in single mode; attachment for a lanyard with a RING OPEN to the textile connection point
- Lateral attachment points: Attachment for a positioning lanyard for use in double mode
- Sternal attachment point: Attachment for a fall-arrest system
- Dorsal attachment point: Attachment for a fall-arrest system
- Rear attachment point on the waistbelt: Attachment for a restraint lanyard
- Certification(s): CE EN 361, EN 813, EN 358
- Material(s): Nylon, polyester, aluminum, steel

---

## Specifications by reference

Reference(s)	C071BB03	C071BB04	C071BB05
Color(s)	Black	Black	Black
Size	0	1	2
Waist belt	65-80 cm	70-93 cm	83-120 cm
Leg loops	44-59 cm	47-62 cm	50-65 cm
Stature	160-180 cm	165-185 cm	175-200 cm
Weight	1695 g	1735 g	1835 g
Made in	RO	RO	RO
Guarantee	3 years	3 years	3 years
Inner Pack Count	1	1	1
Quantity Per Box	3	3	3
EAN	3342540845459	3342540845466	3342540845480