



## Power Rack Xtreme CPR16-C2-F7-CB

1x CEE16A In / Daisy chain, 7 x Schuko Typ F Out.

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



## Features & Benefits

- ✓ High quality electrical and electronical component from the renowned brands
- ✓ Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- ✓ High quality assembly in EU

- ✓ Attractive price / value ratio

## Markets & Applications

- ✓ Markets: Professional audio esp. amp rack wiring / lighting / video wall
- ✓ Mobile applications: Festivals, live events. Control panels / rooms.
- ✓ Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

## Ordering information

Article name	Details	Order code
CPR16-C2-F7-CB	Front: IN 1x CEE16A; Daisy chain 1x CEE16A; OUT 1x Schuko Type F; Circuit protection: 1x RCCB (3-pole + N), 3x MCB (1-pole). Back: OUT 6x Schuko Type F	1028797

## Technical Information

Product	
Input device	1x CEE16A 5P red (front)
Daisy chain	1x CEE16A 5P red (daisy chain) front
Output device	7x Schuko socket with lid

## Electrical

Circuit protection	1x RCCB 40/0,03 A (3-pole + N) 3x MCB C16 (1-pole)
Phase control indicator	L1, L2, L3, green
Rated voltage	415 V/AC, 50 Hz
Rated Current	CEE socket: 415 V Link Schuko socket 230V 16A

## Mechanical

Weight	3.8 kg
Type of construction	19" Housing 2 HE, 1.5 TE
Dimensions	483 x 88 x 104 mm (without fittings)

## Material

Housing	Metal
Color	black

## Environmental

Protection class	IP20
Temperature range	-5 to +40°C