



# Power Rack Xtreme

## CPR32-C2-F7-CB

1x CEE32A In / Daisy chain – 7 x Schuko Typ F Out.

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



## Features & Benefits

- ✓ High quality electrical and electronical component from the renowned brands
- ✓ Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- ✓ High quality assembly in EU

- ✓ Attractive price / value ratio

## Markets & Applications

- ✓ Markets: Professional audio esp. amp rack wiring / lighting / video wall
- ✓ Mobile applications: Festivals, live events. Control panels / rooms.
- ✓ Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

## Ordering information

Article name	Details	Order code
CPR32-C2-F7-CB	FRONT: IN 1x CEE32A; Daisy chain 1x CEE32A; OUT 1x Schuko Type F; Circuit protection: 1x RCCB, 3x MCB. BACK: OUT 6x Schuko Type F	1028798

## Technical Information

Product	
Input device	1x CEE32A 5P red (front)
Daisy chain	1x CEE32A 5P red (daisy chain) front
Output device	7x Schuko socket with lid

## Electrical

Circuit protection	1x RCCB 40/0,03A 3x MCB 1pol C16
Phase control indicator	L1, L2, L3, green
Rated voltage	415V/AC, 50Hz
Rated Current	CEE socket: 415V Link Schuko socket 230V 16A

## Mechanical

Weight	3,8kg
Type of construction	19" Housing 2 HE, 1,5TE
Dimensions	483 x 88 x 104 mm (without fittings)

## Material

Housing	Metal
Color	black

## Environmental

Protection class	IP20
Temperature range	-5 to +40°C