




Power Rack Xtreme CPR32-C2-T6F3-CB

1x CEE32A In / Daisy chain, 6 x powerCON® TRUE1®
TOP & 3 x Schuko Typ F Out

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



Features & Benefits

- ✓ High quality electrical and electronical component from the renowned brands
- ✓ Circuit protection with miniature circuit breakers (MCB)
- ✓ High quality assembly in EU
- ✓ Attractive price / value ratio

Markets & Applications

- ✓ Markets: Professional audio esp. amp rack wiring / lighting / video wall
- ✓ Mobile applications: Festivals, live events. Control panels / rooms.
- ✓ Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

Ordering information

Article name	Details	Order code
CPR32-C2-T6F3-CB	Front: IN 1x CEE32A; Daisy chain 1x CEE32A; 3x Schuko Type F; Circuit protection: 3x MCB. Back: OUT 6x powerCON TRUE1 TOP	1029171

Technical Information

Product	
Input device	1x CEE32A 5P red (front)
Daisy chain	1x CEE32A 5P red (daisy chain) front
Output device	6 x powerCON®TRUE1®TOP Out & 3 x Schuko Typ F Out

Electrical	
Circuit protection	3x MCB 1pol C16
Phase control indicator	L1, L2, L3, green
Rated voltage	415V/AC, 50Hz
Rated Current	CEE Socket: 415V Schuko Socket & powerCON®TRUE1®TOP: 230V 16A

Mechanical

Weight	3,8kg
Type of construction	19" Housing 2 HE, 1,5TE
Dimensions	483 x 88 x 104 mm (without fittings)

Material

Housing	Metal
Color	black

Environmental

Protection class	IP20
Temperature range	-5 to +40 °C