



ultimate powerCON TRUE1 Interconnection cord set

NEUTRIK ultimate interconnection cord sets boasts molded male and female powerCON TRUE1 connectors. These powerCON TRUE1 connectors are certified according EN IEC 60320-1.

All ultimate cord sets are manufactured in Europe, VDE tested and certified according EN IEC 60799.



Features & benefits

- ✓ Interconnection cord set VDE certified acc. EN IEC 60799
- ✓ powerCON TRUE1 connectors certified according EN IEC 60320-1
- ✓ Breaking capacity
- ✓ Superior antikink protection, ultra robust design
- ✓ High quality TITNAEX® cables with 1,5mm² and 2,5mm² conductor cross section

- ✓ TOP TRUE OUTDOOR PROTECTION: IP65 / UV resistant / corrosion resistant
- ✓ Made in EUROPE

Article Variations

Article name	Details	Order code
NKPH03-M2M1-M0200	2 m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1028919
NKPH04-M2M1-M0200	2 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1028920
NKPH03-M2M1-M0050	0,5 m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039679
NKPH03-M2M1-M0100	1 m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039680
NKPH03-M2M1-M0150	1,5 m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039681
NKPH03-M2M1-M0300	3 m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039682
NKPH03-M2M1-M0500	5m / H07RN-F3G1.5 TITANEX® 1,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039683
NKPH04-M2M1-M0050	0,5 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039684
NKPH04-M2M1-M0100	1 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039685

NKPH04-M2M1-M0150	1,5 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039686
NKPH04-M2M1-M0300	3 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039687
NKPH04-M2M1-M0500	5 m / H07RN-F3G2.5 TITANEX® 2,5 mm ² / Molded powerCON TRUE1 (m) Molded powerCON TRUE1 (f)	1039688

ULTIMATE INTERCONNECTION CORD SET - RUBBER CABLE (NKPH03/04-M2M1)

